Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1515	(switch$3 or relay$3) near3 pressure near7 (digital$2 or electronic or programm$5)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:46
L2	493864	gas near5 (pass$3 or through or ventilat$3 or hous$3)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:47
L5	15969	(output or signal) near5 ((control$4 or operat$3 or adjust$3 or chang$3 or manipulat$3) near4 gas)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:49
L6	36	1 and 2 and 5	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:09
L7	2	6 and display$3 near5 ('on' or 'off')	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:58
L8	7927	gas near4 (less or heavier or lighter or more) near4 air	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 11:59
L9	407	8 with (ventilat$3 or path or pipe or conduit)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:00
L10	11	6 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:02
L11	11	1 and 2 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:03
L12	308	2 and 9	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:03
L13	30	5 and 12	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:03
L14	16	6 and (analog near5 output$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:10
L15	18	6 and ((analog or chang$3 or adjust$3) near5 output$4)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:13
L16	19	6 and ((delay$3 or extend$3) near3 (time or period))	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:16
L17	254996	(switch$3 or contact$3 or relay$3) near3 outputs	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 12:16

L18	21	6 and 17	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 13:05
L19	2	("6021150").PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/11/01 13:05
L20	1	2 and 5 and 19	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 13:06
L21	0	1 and 20	USPAT; EPO; JPO; DERWENT	OR	ON	2005/11/01 13:06

L7

US 4532952 A	Controller for well inst	137/240	137/312; 137/315.01; 137/551; 2
US 4352376 A	Controller for well inst	137/624.1	137/552.7; 137/624.2; 166/53; 16
US 6830730 B2	Method and apparatu	422/78	422/50; 422/62; 422/82.01; 422/8
US 6670572 B2	Solenoid control and	219/121.57	219/121.54; 219/121.55; 219/121
US 6640618 B2	Method for detecting a	73/60.11	250/357.1; 436/55; 73/579; 73/59
US 6581623 B1	Auto-switching gas de	137/113	137/115.03; 137/115.09; 137/118
US 6543395 B2	Bi-fuel control system	123/27GE	123/526; 123/575
US 6250260 B1	Bi-fuel control system	123/27GE	123/525; 123/575
US 6192883 B1	Oxygen flow control s	128/204.2	128/204.23; 128/204.26; 128/205
US 5662143 A	Modular gas box syste	137/884	137/269; 137/560
US 5628303 A	Radiant space heater	126/91A	126/92AC; 431/19; 431/354
US 5550344 A	Mounting apparatus fo	219/121.3	219/121.44; 219/121.54; 219/121
US 5389125 A	Automated system for	95/11	95/115; 95/143; 95/15; 95/17; 95/
US 5368005 A	Apparatus for detectin	123/568.1	73/117.3
US 5243831 A	Apparatus for purificat	62/292	95/19
US 5168699 A	Apparatus for ignition	60/39.091	60/786
US 5092519 A	Control system for wa	236/21B	236/23; 236/25A; 392/345
US 4951870 A	Overtemperature cont	236/11	165/270; 236/46E; 431/68; 62/15
US 4874362 A	Method and device fo	604/26	600/560; 600/561
US 4720807 A	Adaptive pressure cor	700/282	137/487.5; 346/33TP
US 4550689 A	Gas instantaneous wa	122/14.21	122/18.4; 122/245; 122/248; 122/
US 4445180 A	Plant unit master cont	700/289	290/40R; 60/646; 700/41
US 4314441 A	Gas turbine power pla	60/39.281	700/274; 700/287
US 4242592 A	Gas turbine power pla	290/40R	60/39.281
US 4208591 A	Gas turbine power pla	290/40R	60/39.281; 700/287
US 4192489 A	Control system for an	266/88	266/44; 266/80; 266/96
US 4051669 A	Gas turbine power pla	60/773	60/39.091; 60/39.281; 700/287; 7
US 4019315 A	Gas turbine power pla	60/773	290/40A; 60/39.281
US 3955359 A	Bearing temperature s	60/39.281	290/40R; 415/15; 415/17; 700/28
US 3943373 A	Gas turbine power pla	290/40R	60/39.281
US 3943371 A	Gas turbine power pla	290/40B	60/39.282
US 3934672 A	Method and apparatu	181/117	181/114; 181/401
US 3926563 A	Apparatus for measur	422/98	204/400; 422/112; 422/119; 422/
US 3924141 A	Gas turbine power pla	290/40R	290/38R; 322/38; 60/786
US 3911285 A	Gas turbine power pla	290/40R	290/40A; 322/14; 60/39.281
US 3892975 A	Gas turbine power pla	290/40R	60/39.281; 700/287; 700/80; 700/

L6

US 4352376 A	Controller for well inst	137/624.1	137/552.7; 137/624.2; 166/53; 16
US 6830730 B2	Method and apparatu	422/78	422/50; 422/62; 422/82.01; 422/8
US 6640618 B2	Method for detecting a	73/60.11	250/357.1; 436/55; 73/579; 73/59
US 5368005 A	Apparatus for detectin	123/568.1	73/117.3
US 5168699 A	Apparatus for ignition	60/39.091	60/786
US 4720807 A	Adaptive pressure cor	700/282	137/487.5; 346/33TP
US 4445180 A	Plant unit master cont	700/289	290/40R; 60/646; 700/41
US 4314441 A	Gas turbine power pla	60/39.281	700/274; 700/287
US 4242592 A	Gas turbine power pla	290/40R	60/39.281
US 4208591 A	Gas turbine power pla	290/40R	60/39.281; 700/287
US 4051669 A	Gas turbine power pla	60/773	60/39.091; 60/39.281; 700/287; 7
US 4019315 A	Gas turbine power pla	60/773	290/40A; 60/39.281
US 3955359 A	Bearing temperature s	60/39.281	290/40R; 415/15; 415/17; 700/28
US 3943373 A	Gas turbine power pla	290/40R	60/39.281
US 3943371 A	Gas turbine power pla	290/40B	60/39.282
US 3924141 A	Gas turbine power pla	290/40R	290/38R; 322/38; 60/786
US 3911285 A	Gas turbine power pla	290/40R	290/40A; 322/14; 60/39.281
US 3892975 A	Gas turbine power pla	290/40R	60/39.281; 700/287; 700/80; 700/

L15